

## 解剖学第一講座

### A 欧 文

#### A-a

1. N. Iwahori, K. Nakamura, C. Mameya: A Golgi study on the accessory olfactory bulb in the snake, *Elaphe quadrivirgata*, *Neurosci Res*, 6, 411-425 (1989) \*
2. N. Iwahori, K. Nakamura, C. Mameya: A Golgi study on the main olfactory bulb in the snake *Elaphe quadrivirgata*, *Neurosci Res*, 7, 55-70 (1989) \*
3. H. S. Ozaki, K. Iwashashi, M. Shimada: Ipsilateral corticocortical projections of fibers which course within Probst's longitudinal bundle seen in the brains of mice with congenital absence of the corpus callosum: a study with the horseradish peroxidase technique, *Brain Res*, 493, 66-73 (1989) \*
4. M. Shimada, R. Shimo, H. S. Ozaki: Freeze-mount microautoradiographic study in the mouse hippocampus after intravenous injection of tritiated 2-deoxyglucose and glucose, *Neuroscience*, 31, 347-354 (1989) \*
5. Y. Takeuchi, T. Hayakawa, H. S. Ozaki, J. Kito, T. Satoda, R. Matsushima: Afferent fibers in the hypoglossal nerve: a horseradish peroxidase study in the cat, *Brain Res Bull*, 24, 81-87 (1990) \*
6. N. Iwahori, K. Nakamura, C. Mameya: Differentiation of the brain stem reticular formation in the triturus, *Triturus pyrrhogaster*, *Okajimas Folia Anat Jpn*, 67, 121-126, 1990
7. K. Iwashashi, H. S. Ozaki, M. Tsubaki, J. Ohnishi, Y. Takeuchi, Y. Ichikawa: Studies of the immunohistochemical and biochemical localization of the cytochrome P-450<sub>scc</sub>-linked monooxygenase system in the adult rat brain, *Biochem Biophys Acta*, 1035, 182-189 (1990) \*
8. N. Iwahori, K. Nakamura: A Golgi study on the red nucleus in the mouse, *Okajimas Folia Anat Jpn*, 68, 71-80 (1991)
9. H. S. Ozaki, K. Iwashashi, M. Tsubaki, Y. Fukui, Y. Ichikawa, Y. Takeuchi: Cytochrome P-450<sub>1B</sub> in rat brain, *J Neurosci Res*, 28, 518-524 (1991) \*
10. N. Iwahori, K. Nakamura, S. Kameda: A Golgi study on the neuronal organization of the habenular ganglion in the red stingray, *Dasyatis akajei*, *Okajimas Folia Anat Jpn*, 68, 135-144 (1991)
11. N. Iwahori, K. Nakamura, S. Kameda: A Golgi study on the afferent fibers to the habenular ganglion in the red stingray, *Dasyatis akajei*, *Okajimas Folia Anat Jpn*, 68, 145-154 (1991)
12. D. Wahlsten, H. S. Ozaki, D. Livy: Deficient corpus callosum in hybrids between ddN and three other abnormal mouse strains, *Neurosci Lett*, 136, 99-101 (1992) \*
13. N. Iwahori, K. Nakamura, S. Kameda: A Golgi study on the olfactory bulb in the red stingray, *Dasyatis akajei*, *Okajimas Folia Anat Jpn*, 68, 333-342 (1992)
14. N. Iwahori, K. Nakamura, C. Mameya: Differentiation of the brain stem structures in the salamander, *Hynobius nebulosus*, *Ann Anat*, 174, 461-466 (1992) \*
15. H. S. Ozaki, D. Wahlsten: Prenatal formation of the normal mouse corpus callosum: a quantitative study with carbocyanine dyes, *J Comp Neurol*, 323, 81-90 (1992) \*
16. N. Iwahori, K. Nakamura, S. Kameda: Terminal patterns of the fasciculus retroflexus in the interpeduncular nucleus of the mouse: a Golgi study, *Anat Embryol*, 187, 523-528 (1993) \*
17. H. S. Ozaki, D. Wahlsten: Cortical axon trajectories and growth cone morphologies in fetuses of acallosal mouse strains, *J Comp Neurol*, 336, 595-604 (1993) \*
18. N. Iwahori, K. Nakamura, S. Kameda, H. Tahara: Terminal patterns of the tegmental afferents in the interpeduncular nucleus: a Golgi study in the mouse, *Anat Embryol*, 188, 593-599 (1993) \*

#### A-c

1. T. Toyoshima, M. Shimada, H. S. Ozaki, T. Okaichi, T. H. Murakami: Histological alterations to gills of the yellowtail, *Seriola quinqueradiata*, following exposure to the red tide species, *Chattonella antiqua*, In T. Okaichi, D. M. Anderson, T. Nemoto, eds., *Red Tides: Biology, Environmental Science, and Toxicology*, New York, Elsevier Science, 439-442 (1989)

### B 邦 文

#### B-a

1. 岩堀修明：細胞の形態と構成からみた大脳基底核、神経研究の進歩、34、921-927(1990)
2. 岩堀修明：目でみる脳科学 ニューロン[ I ]嗅球の僧帽細胞と顆粒細胞、ブレインサイエンス、3、40-411(1992)
3. 岩堀修明：目でみる脳科学 ニューロン[ II ]多極神経細胞と単極神経細胞、ブレインサイエンス、4、5-12(1993)
4. 岩堀修明：目でみる脳科学 ニューロン[ III ]投射神経細胞と介在神経細胞、ブレインサイエンス、4、113-119(1993)
5. 岩堀修明：目でみる脳科学 ニューロン[ IV ]体性運動神経細胞と交感神経節前細胞、ブレインサイエンス、4、251-258 (1993)

**B-d**

1. 尾崎宏基：ラット脳内におけるミトコンドリア型シトクロム P-450及びその関連酵素の存在部位、平成元年度文部省科学研究費補助金、奨励研究(A)、研究実績報告書 (1990)
2. 尾崎宏基：先天的脳梁欠損の成立機序—神経解剖学的・遺伝学的解析一、平成2年度文部省在外研究員派遣事業費、長期在外研究員（甲種）、在外研究報告書 (1991)

**原著論文数一覧**

	A-a	A-b	A-c	A-d	合計	S C I	B-a	B-b	B-c	B-d	合計	総 計
1989	4	0	1	0	5	4	0	0	0	0	0	18
1990	3	0	0	0	3	2	1	0	0	1	2	5
1991	4	0	0	0	4	1	0	0	0	1	1	5
1992	4	0	0	0	4	3	1	0	0	0	1	5
1993	3	0	0	0	3	3	3	0	0	0	3	6
総 計	18	0	1	0	19	13	5	0	0	0	7	26

**学会発表数一覧**

	A-a	A-b		合 計	B-a	B-b		合 計	総 計
		シンポジウム	学会			シンポジウム	学会		
1989	0	0	0	0	0	0	7	7	7
1990	0	0	0	0	0	1	8	9	9
1991	0	0	2	2	0	0	3	3	5
1992	0	0	1	1	0	0	2	2	3
1993	0	0	0	0	0	0	2	2	2
総 計	0	0	3	3	0	0	22	23	26

**原著論文総数に係る教官生産係数一覧**

	欧文論文総数 論文総数	教官生産係数 (欧文論文)	S C I掲載論文 欧文論文総数	教官生産係数 (S C I掲載論文)
1989	1.000	1.250	0.800	1.000
1990	0.600	0.750	0.667	0.500
1991	0.800	1.000	0.250	0.250
1992	0.800	1.000	0.750	0.750
1993	0.500	0.750	0.750	0.750
平均	0.731	0.950	0.684	0.650

### Impact factor一覧

	Impact factor	1教官当たり Impact factor	論文当たり Impact factor
1989	11.145	2.786	2.786
1990	4.302	1.076	2.151
1991	3.197	0.799	3.197
1992	5.974	1.494	1.991
1993	6.885	1.721	2.295
平均	6.301	1.575	2.423