

生化学講座

A 欧 文

A-a

1. T. Miyanishi, J. Barejdo: Differential Behavior of Two Cysteine Residues on the Myosin Head in Muscle Fibers, *Biochemistry*, 28, 1287-1294 (1989) *
2. H. Onishi, T. Maita, G. Matsuda, K. Fujiwara: Evidence for the Association between Two Myosin Heads in Rigor Acto-Smooth Muscle Heavy Meromyosin, *Biochemistry*, 28, 1898-1904 (1989) *
3. H. Onishi, T. Maita, G. Matsuda, K. Fujiwara: Carbodiimide-Catalyzed Cross-Linking Sites in the Heads of Gizzard Heavy Meromyosin Attached to F-Actin, *Biochemistry*, 28, 1905-1911 (1989) *
4. S. Maruta, T. Miyanishi, G. Matsuda: Localization of the ATP-binding site in the 23-kDa and 20 kDa regions of the heavy chain of the skeletal muscle myosin head, *Eur J Biochem*, 184, 213-221 (1989) *
5. J. Czelusniak, M. Goodman, B. F. Koop, D. A. Tagle, J. Shoshani, G. Braunitzer, T. K. Kleinschmidt, W. W. DE. Jong, G. Matsuda: Perspectives from amino acid and nucleotide sequences on cladistic relationships among higher taxa of eutheria, *Current Mammalogy*, 2, 545-572 (1990)
6. Y. Hamada, M. Yanagisawa, Y. Katsuragawa, J. R. Coleman, S. Nagata, G. Matsuda, T. Masaki: Distinct vascular and intestinal smooth muscle myosin heavy chain mRNA are encoded by a single-copy gene in the chicken, *Biochem Biophys Res Commun*, 170, 53-58 (1990) *
7. H. Onishi, T. Maita, G. Matsuda, K. Fujiwara: Lys-65 and Glu-168 Are the Residues for Carbodiimide-catalyzed Cross-linking between the Two Heads of Rigor Smooth Muscle Heavy Meromyosin, *The Journal of Biological Chemistry*, 265, 19362-19368 (1990) *
8. M. Hayashida, T. Maita, G. Matsuda: The Primary Structure of Skeletal Muscle Myosin Heavy Chain: I. Sequence of the Amino-Terminal 23 kDa Fragment, *J Biochem*, 110, 54-59 (1991) *
9. Y. Komine, T. Maita, G. Matsuda: The Primary Structure of Skeletal Muscle Myosin Heavy Chain: II. Sequence of the 50 kDa Fragment of Subfragment-1, *J Biochem*, 110, 60-67 (1991) *
10. T. Maita, T. Miyanishi, K. Matsuzono, Y. Tanioka, G. Matsuda: The Primary Structure of Skeletal Muscle Myosin Heavy Chain: III. Sequence of the 22 kDa Fragment and the Alignment of the 23 kDa, 50 kDa, and 22 kDa Fragments, *J Biochem*, 110, 68-74 (1991) *
11. T. Maita, E. Yajima, S. Nagata, T. Miyanishi, S. Nakayama, G. Matsuda: The Primary Structure of Skeletal Muscle Myosin Heavy Chain: IV. Sequence of the Rod, and the Complete 1,938-Residue Sequence of the Heavy Chain, *J Biochem*, 110, 75-87 (1991) *
12. H. Onishi, T. Maita, G. Matsuda, K. Fujiwara: Interaction between the Heavy and the Regulatory Light Chains in Smooth Muscle Myosin Subfragment 1, *Biochemistry*, 31, 1201-1210 (1992) *
13. S. Nakayama, N. D. Moncrief, R. H. Kretsinger: Evolution of EF-Hand Calcium-Modulated Proteins. II. Domains of Several Subfamilies Have Divers Evolutionary Histories, *J Mol Evol*, 34, 416-448 (1992) *
14. S. Nakayama, R. H. Kretsinger: Evolution of EF-Hand Calcium-Modulated Proteins. III. Exon Sequences Confirm Most Dendograms Based on Protein Sequences: Calmodulin Dendograms Show Significant Lack of Parallelism, *J Mol Evol*, 36, 458-476 (1993) *
15. R. H. Kretsinger, S. Nakayama: Evolution of EF-Hand Calcium-Modulated Proteins. IV. Exon Shuffling Did Not Determine the Domain Compositions of EF-Hand Proteins, *J Mol Evol*, 36, 477-488 (1993) *

A-c

1. G. Matsuda, T. Maita, T. Miyanishi, E. Yajima, S. Nagata, Y. Tanioka, Y. Komine: Primary Structure of the MHC by the Protein Chemical Method. In *Basic and Applied Myology: Perspectives for the 90's* ed. U. Carraro, Padova: Stanley Salmons, Unipress Padova, 5-12 (1991)
2. R. H. Kretsinger, S. Nakayama, N. D. Moncrief: Functional Characteristics of the Calcium Modulated Proteins Seen from an Evolutionary Perspective, In *the Unity of Evolutionary Biology: Proceedings of the Fourth International Congress of Systematic and Evolutionary Biology* ed. E. C. Dudley, Portland Oregon, Dioscorides Press, 917-922 (1991)
3. R. H. Kretsinger, S. Nakayama, W. R. Pearson: The EF-hand, Homologs and Analogs, In *Novel Calcium Binding Proteins* ed. C. Heizmann, Berlin Heidelberg New York, Springer-Verlag, 17-37 (1991)

B 邦 文**B-a**

1. 矢島エイ子：骨格筋ミオシンの尾部に関する研究：特に一次構造およびプロテアーゼによる切断部位、長崎医学会雑誌、65、409-430 (1990) ○
2. 山添義隆：サワラおよびその他の魚類へモグロビンの多成分性に関する研究、長崎医学会雑誌、66、126-150 (1991) ○
3. 松園和久、永田修一、市川正孝、松田源治：ニワトリ骨格筋ミオシン重鎖の浅胸筋タイプと深胸筋タイプの構造解析、長崎医学会雑誌、66、311-322 (1991)
4. 松園和久：骨格筋ミオシン重鎖のアイソフォームに関する研究、長崎医学会雑誌、67、207-222 (1992) ○
5. 新見俊明、永田修一、市川正孝、毎田徹夫、松田源治、岩崎勝郎：除神経ニワトリ骨格筋ミオシン重鎖の構造解析、長崎医学会雑誌、67、207-222 (1992)

B-b

1. 宮西隆幸：ミオシン23kDa フラグメント抗体による筋収縮阻害、生物物理、29、366-370 (1989)

B-d

1. 宮西隆幸：筋収縮中のミオシンの分子運動の蛍光標識および蛍光抗体標識による検出と解析、文部省科学研究費補助金、平成2年度重点領域研究「滑り運動の分子機構」、研究成果報告書 (1991)

原著論文数一覧

	A-a	A-b	A-c	A-d	合計	S C I	B-a	B-b	B-c	B-d	合計	総 計
1989	4	0	0	0	4	4	0	1	0	0	1	5
1990	3	0	0	0	3	2	1	0	0	0	1	4
1991	4	0	3	0	7	4	2	0	0	1	3	10
1992	2	0	0	0	2	2	2	0	0	0	2	4
1993	2	0	0	0	2	2	0	0	0	0	0	2
総 計	15	0	3	0	18	14	5	1	0	1	7	25

学会発表数一覧

A-a	A-b		合 計	B-a	B-b		合 計	総 計
	シンポジウム	学会			シンポジウム	学会		
1989	1	0	1	0	0	4	4	5
1990	0	0	0	1	2	6	9	9
1991	1	0	2	3	0	8	9	12
1992	0	0	0	0	0	8	8	8
1993	0	1	1	0	0	5	5	6
総 計	2	1	5	1	3	31	35	40

原著論文総数に係る教官生産係数一覧

	欧文論文総数 論文総数	教官生産係数 (欧文論文)	S C I掲載論文 欧文論文総数	教官生産係数 (S C I掲載論文)
1989	0.800	1.000	1.000	1.000
1990	0.750	0.750	0.667	0.500
1991	0.400	1.000	1.000	1.000
1992	0.500	0.500	1.000	0.500
1993	1.000	0.500	1.000	0.500
平均	0.600	0.750	0.933	0.700

Impact factor 一覧

	Impact factor	1 教官当たり Impact factor	論文当たり Impact factor
1989	19.037	4.760	4.760
1990	10.316	2.579	5.158
1991	8.216	2.054	2.054
1992	10.449	2.612	5.225
1993	10.506	2.627	5.253
平均	11.705	2.926	4.180