

腫瘍医学講座

A 欧 文

A-a

1. A Mizoguchi, T. Ueda, K. Ikeda, H. Shiku, H. Mizoguchi, Y. Takai: Localization and subcellular distribution of cellular ras gene products in rat brain, *Molecular Brain Res.*, 5, 31-44 (1989) *
2. M. Abe, H. Shiku: Isolation of an IgH gene circular DNA clone from human bone marrow, *Nucl Acids Res.*, 17, 163-170 (1989) *
3. K. Hamatani, K. Yoshida, H. Kondo, H. Toki, K. Okabe, M. Motoi, S. Ikeda, S. Mori, K. Shimaoka, M. Akiyama, E. Nakayama, H. Shiku: Histological typing of non-Hodgkin's lymphomas by in situ hybridization with DNA probes of oncogenes, *Blood*, 74, 423-429 (1989) *
4. Y. Yamada, M. Ichimaru, H. Shiku: Adult T cell leukemia cells are of CD4⁺ CDw29⁺ T cell origin and secrete a B cell differentiation factor, *Br J Haematol*, 72, 370-377 (1989) *
5. T. Ichikawa, M. Kawai, A. Uenaka, H. Yamamoto, M. Gotoh, M. Monden, T. Mori, H. Shiku, E. Nakayama: Effector mechanism of H-Y and non-H-2 incompatible skin graft rejection in mice, *Transpl Proc*, 21, 156-157 (1989) *
6. A. Uenaka, M. Mieno, K. Kuribayashi, H. Shiku, E. Nakayama: Effector cells of lethal graft-versus-host disease (GVHD) in nude mice, *Transpl. Proc*, 21, 3031-3032 (1989) *
7. H. Udon, K. Kuribayashi, T. Fujita, M. Mieno, H. Shiku, E. Nakayama: Proliferative response of cloned CTL line 10B-5 on stimulation with soluble clonotypic monoclonal antibody and its blocking by anti-Lyt-2 antibody, *Immunobiology*, 178, 390-400 (1989) *
8. T. Ichikawa, M. Kawai, A. Uenaka, H. Yamamoto, M. Gotoh, M. Monden, T. Mori, H. Shiku, E. Nakayama: The roles of CD8⁺ and CD4⁺ cells in rejection of multiple minor H disparate skin grafts, *Transplantation*, 47, 909-910 (1989) *
9. T. Kinouchi, S. Saiki, T. Naoe, A. Uenaka, T. Kotake, H. Shiku, E. Nakayama: Correlation of c-myc expression with nuclear pleomorphism in renal cell carcinoma, *Cancer Res*, 49, 3627-3630 (1989) *
10. H. Udon, M. Mieno, H. Shiku, E. Nakayama: The roles of CD8⁺ and CD4⁺ cells in tumor rejection, *Jpn J Cancer Res*, 80, 649-654 (1989) * ○
11. K. Hamatani, Y. Nagata, M. Abe, K. Yoshida, H. Toki, S. Ikeda, E. Nakayama, H. Shiku: Increased expression of ras genes in non-Hodgkin's lymphomas is not associated with oncogenic activation of those genes by the point mutation, *Jpn J Cancer Res*, 80, 706-710 (1989) *
12. T. Naoe, N. Nozaki, K. Yamada, T. Okazaki, E. Nakayama, Y. Kurosawa, H. Shiku: Diversity of cellular molecules in human cells detected by monoclonal antibodies reactive with c-myc proteins produced in *Escherichia coli*, *Jpn J Cancer Res*, 80, 747-753 (1989) *
13. M. Mieno, H. Udon, S. Ikegami, N. Tada, H. Shiku, E. Nakayama: Blocking of cytotoxic T-cell function of MOLF/Ei mice by anti-Ly 35.1 monoclonal antibody, *Immunology*, 68, 431-433 (1989) *
14. H. Suzuki, M. Abe, S. Nishikawa, E. Nakayama, H. Shiku: Preferential usage of J_{α2} in D-J joinings with D_{Q52} in murine lymphocytes, *Int Immunol*, 1, 643-646 (1989) * ○
15. Y. Noguchi, M. Tateno, N. Kondo, T. Yoshiaki, H. Shida, E. Nakayama, H. Shiku: Rat CTL against HTLV-I infected cells recognize gag gene and env gene encoded antigens, *J Immunol*, 143: 3737-3742 (1989) * ○
16. I. J. Thampoe, K. Furukawa, E. Vellve, K. O. Lloyd: Sialyltransferase levels and ganglioside expression in melanoma and other cultured human cancer cells, *Cancer Res*, 49, 6258-6264 (1989) *
17. K. Yoshikawa, K. Furukawa, R. Ueda, S. Iwasa, K. O. Lloyd, K. Notake, T. Takahashi: A human monoclonal antibody recognizing a surface antigen on stomach cancer cells, *Jpn J Cancer Res*, 80, 546-553 (1989) *
18. K. S. Furukawa, K. Furukawa, F. X. Real, L. J. Old, K. O. Lloyd: A unique antigenic epitope of human melanoma is carried on the common melanoma glycoprotein gp95/p97, *J Exp Med*, 169, 585-590 (1989) *
19. K. Furukawa, I. J. Thampoe, H. Yamaguchi, K. O. Lloyd: The addition of exogenous gangliosides to cultured human cells results in the type-specific expression of novel surface antigens by a biosynthetic process, *J Immunol*, 142, 848-854 (1989) *
20. K. Furukawa, H. Yamaguchi, H. F. Oettgen, L. J. Old, K. O. Lloyd: Human monoclonal antibodies reacting with the major gangliosides of human melanomas and comparison with corresponding mouse monoclonal antibodies, *Cancer Res*, 49, 191-196 (1989) *
21. E. Nakayama, M. Mieno, H. Shiku: Effect of in vivo administration of anti-Lyt-2 mAb and anti-L3T4 mAb on tumor rejection, *Acta Med Nagasaki*, 34, 3-9 (1989)
22. H. Shiku, K. Yoshida, H. Tsuchiyama, E. Nakayama: Search for Cancer antigens; monoclonal antibodies and

- oncogenes, *Acta Med Nagasaki*, 34, 76-77 (1989)
23. T. Yamauchi, T. Naoe, Y. Kurosawa, H. Shiku, K. Yamada: Autoantibodies to c-myc nuclear protein products in autoimmune disease, *Immunology*, 69, 117-120 (1990) *
 24. Y. Nagata, Y. M. Abe, K. Kobayashi, K. Yoshida, T. Ishibashi, T. Naoe, E. Nakayama, H. Shiku: Glycine to aspartic acid mutations at codon 13 of c-Ki-ras gene in human gastro-intestinal cancers, *Cancer Res*, 50, 480-482 (1990) * ○
 25. Y. Kato, K. Nakata, K. Kono, M. Shima, A. Sato, Y. Kusumoto, N. Ishii, T. Koji, H. Shiku, N. Nagataki: Immunoscintigraphy of human tumors transplanted in nude mice with radiolabeled anti ras p21 monoclonal antibodies, *J Nucl Med* 31, 1520-1526 (1990) *
 26. Y. Nagata, M. Abe, K. Motoshima, E. Nakayama, H. Shiku: Frequent glycine to aspartic acid mutations at codon 12 of c-Ki-ras gene in human pancreatic cancer in Japanese, *Jpn J Cancer Res*, 81, 135-140 (1990) *
 27. H. Yamamoto, M. Monden, M. Kawai, A. Uenaka, M. Gotoh, T. Mori, M. Sakurai, H. Shiku, E. Nakayama: Roles of CD8⁺ and CD4⁺ cells in islet allograft rejection, *Transplantation*, 50, 120-125 (1990) *
 28. T. Sasaki, M. Mieno, H. Udon, K. Yamaguchi, T. Usui, K. Hara, H. Shiku, E. Nakayama: Roles of CD4⁺ and CD8⁺ cells, and effect of administration of rIFN-γ in listerial infection, *J Exp Med*, 171, 1141-1154 (1990) * ○
 29. Y. Nagata, M. Abe, K. Kobayashi, S. Saiki, T. Kotake, K. Yoshikawa, R. Ueda, E. Nakayama, H. Shiku: Point mutations of c-ras genes in human bladder cancer and kidney cancer, *Jpn J Cancer Res*, 81, 22-27 (1990) *
 30. J. Sunamoto, K. Akiyoshi, M. Goto, T. Noguchi, T. Sato, E. Nakayama, R. Shibata, H. Shiku: Effective transfer of membrane proteins from intact cells to liposomes and preparation of liposomal vaccines, *Ann NY Acad Sci*, 613, 116-127 (1990) *
 31. Y. Matsubayashi, T. Hirama, A. Morioka, M. Iwashiro, T. Masuda, H. Uchino, S. Takeshita, H. Yamagishi, H. Udon, M. Mieno, E. Nakayama, H. Shiku, A. Uenaka, K. Kurabayashi: Participation of a dominant cytotoxic T cell population defined by a monoclonal antibody in syngeneic anti-tumor responses, *Eur J Immunol*, 20, 2095-2103 (1990) *
 32. O. Mori, H. Hachisuka, S. Nakano, Y. Sasai, H. Shiku: Expression of ras p21 in mammary and extramammary paget's disease, *Arch Pathol Lab Med*, 114, 858-861 (1990) *
 33. T. Kotake, S. Saiki, T. Kinouchi, H. Shiku, E. Nakayama: Detection of the c-myc gene product in urinary bladder cancer, *Jpn J Cancer Res*, 81, 1198-1201 (1990) *
 34. K. Furukawa, S. Welt, W. T. Yin, H.-J. Feickert, T. Takahashi, R. Ueda, K. O. Lloyd: Analysis of the fine specificities of 11 mouse monoclonal antibodies reactive with type 2 blood group determinants, *Molecular Immunol*, 27, 723-732 (1990) *
 35. K. Furukawa, Y. Arita, N. Satomi, M. Isinger, K. O. Lloyd: Tumor necrosis factor enhances GD3 ganglioside expression in cultured human melanocytes, *Arch Biochem Biophys*, 281, 70-75 (1990) *
 36. H. Yamaguchi, K. Furukawa, S. R. Fortunato, P. O. Livingston, K. O. Lloyd, H. F. Oettgen, L. J. Old: Human monoclonal antibody with dual GM2/GD2 specificity derived from an immunized melanoma patient, *Proc Natl Acad Sci USA*, 87, 3333-3337 (1990) *
 37. Y. Saga, K. Furukawa, P. Rogers, J. -S. Tung, D. Parker, E. A. Boyse: Further data on the selective expression of Ly-5 isoforms, *Immunogenetics*, 31, 296-306 (1990) *
 38. R. Shibata, T. Noguchi, T. Sato, K. Akiyoshi, J. Sunamoto, H. Shiku, E. Nakayama: Induction of in vitro and in vivo anti-tumor responses by sensitization of mice with liposomes containing a crude butanol extract of leukemia cells and transferred inter-membranously with cell-surface proteins, *Int J Cancer*, 48, 434-442 (1991) * ○
 39. M. Mieno, R. Suto, Y. Obata, H. Udon, T. Takahashi, H. Shiku, E. Nakayama: CD4⁻ CD8⁻ T cell receptor αβ T cells: Generation of and in vitro major histocompatibility complex class I specific cytotoxic T lymphocyte response and allogeneic tumor rejection, *J Exp Med*, 174, 193-201 (1991) * ○
 40. M. Kawai, Y. Obata, N. Hamashima, T. Takahashi, A. Uenaka, M. Monden, T. Mori, H. Shiku, E. Nakayama: Differential involvement of CD4⁺ cells in mediating skin graft rejection against different amounts of transgenic H-2K^b antigen, *J Exp Med*, 173, 261-264 (1991) *
 41. Y. Noguchi, T. Noguchi, T. Sato, Y. Yokoo, S. Itoh, M. Yoshida, Y. Yoshiki, K. Akiyoshi, J. Sunamoto, E. Nakayama, H. Shiku: Priming for in vitro and in vivo anti-human T lymphotropic virus type I cellular immunity by virus-related protein reconstituted into liposome, *J Immunology*, 146, 3599-3603 (1991) *
 42. K. Takayama, K. Furukawa, M. Abe, Y. Kawase, A. Mizoguchi, A. Kikuchi, Y. Takai, Y. Matsui, Y. Teranishi, E. Nakayama, H. Shiku: Similarity of expression of low molecular weight G proteins smg p21A and ras p21 in normal and malignant human tissues, *Cancer Res*, 51, 2223-2228 (1991) * ○
 43. K. Kubo, T. Naoe, K. R. Utsumi, Y. Ishiguro, K. Ueda, H. Shiku, K. Yamada: Cytogenetic and cellular characteristics of a human embryonal rhabdomyosarcoma cell line, RMS-YM, *Br J Cancer*, 63, 879-884 (1991) *

44. M. Abe, K. Hayashida, K. Takayama, H. Shiku: V(D)J recombinase activity in primary and secondary murine lymphoid organs: assessment by a PCR assay with extrachromosomal plasmids, *Int Immunology*, 3, 1025-1033 (1991) *
45. O. Shinzato, S. Ikeda, S. Momita, Y. Nagata, S. Kamihira, E. Nakayama, H. Shiku: Semi-quantitative analysis of integrated genomes of human T-lymphotropic virus type I in asymptomatic virus carriers, *Blood*, 78, 2082-2088 (1991) * ○
46. K. Motojima, K. Urano, Y. Nagata, H. Shiku, T. Tsunoda, T. Kanematsu: Mutations in the Kirsten-ras oncogene are common but lack correlation with prognosis and tumor stage in human pancreatic carcinoma, *Amer J Gastroenter*, 86, 1784-1788 (1991) *
47. K. Motojima, T. Tsunoda, T. Kanematsu, Y. Nagata, K. Urano, H. Shiku: Distinguishing pancreatic carcinoma from other periampullary carcinomas by analysis of mutations in the Kirsten-ras oncogene, *Annal Surg*, 214, 657-662 (1991) *
48. K. Furukawa, K. Furukawa, H. Shiku: Alternatively spliced mRNA of pX region of human T lymphotropic virus type I proviral genome, *FEBS Lett.*, 291, 141-145 (1991) *
49. J. Sunamoto, K. Akiyoshi, M. Gotoh, T. Noguchi, T. Sato, E. Nakayama, R. Shibata, H. Shiku: Effective transfer of membrane proteins from intact cells to liposomes and preparation of liposomal vaccines, *Ann NY Acad Sci (Enzyme Engineering)* 10) 613, 116-127 (1991) *
50. Y. Nagata, S. Yamashiro, J. Yodoi, K. O. Lloyd, H. Shiku, K. Furukawa: Expression cloning of β 1,4 N-acetylgalactosaminyltransferase cDNAs that determine the expression of GM2 and GD2 gangliosides, *J Biol Chem*, 267, 12082-12089 (1992) *
51. H. Suzuki, H. Shiku: Preferential use of $J_{\mu 2}$ in D-J joinings with $D_{\alpha 52}$ is determined by the primary DNA sequence and is largely dependent on recombination signal sequences, *Eur J Immunol*, 22, 2225-2230 (1992) *
52. T. Urano, S. Fushida, K. Furukawa, H. Shiku: Human nm23-H1 and H2 proteins have similar nucleoside diphosphate kinase activities, *Int J Oncol*, 1, 425-430 (1992) *
53. J. Sunamoto, T. Noguchi, T. Sato, K. Akiyoshi, R. Shibata, E. Nakayama, H. Shiku: Direct transfer of tumor surface antigenic protein (TSAP) from tumor cell to liposome for making liposomal vaccine, *J Controlled Release*, 20, 143-154 (1992) *
54. T. Urano, S. Fushida, K. Furukawa, H. Shiku: Molecular cloning and functional expression of the second mouse nm23/NDP kinase gene, nm23-M2, *FEBS Lett.*, 309, 358-362 (1992) *
55. Y. Sohda, K. Hamatani, K. Abe, H. Kondo, H. Toki, K. Okabe, M. Motoi, S. Ikeda, E. Nakayama, H. Shiku: Kinase group proto-oncogenes in non-Hodgkin's lymphomas and non-malignant lymphoid tissues: analysis of their expression by in situ hybridization assays, *Int J Oncol*, 1, 257-264 (1992) *
56. R. Suto, H. Udon, A. Yamamoto, H. Shiku, E. Nakayama: Effect of accessory cells on stimulation of murine T-cell leukemia with antibodies to the CD3/T cell antigen receptor complex, *Jpn J Cancer Res*, 84, 438-444 (1993) * ○
57. O. Shinzato, S. Ikeda, S. Momita, Y. Nagata, S. Kamihira, E. Nakayama, H. Shiku: The anti-HTLV-I antibody level, but not the number of abnormally shaped lymphocytes, is related to the HTLV-I genome dose in infected individuals, *Int J Cancer*, 54, 208-212 (1993) *
58. M. Fujita, H. Shiku: A human T lymphotropic virus type I (HTLV-I) long terminal repeat-directed antisense c-myc construct with an Epstein-Barr virus replicon vector inhibits cell growth in a HTLV-I-transformed human T cell line, *FEBS Lett.*, 322, 15-20 (1993) * ○
59. A. Yoshimura, H. Shiku, E. Nakayama: Rejection of an IA⁺ variant line of FBL-3 leukemia by cytotoxic T lymphocytes with CD4⁺ and CD4-CD8⁻ T-cell receptor $\alpha\beta$ phenotypes generated in CD8-depleted C57BL/6 mice, *J Immunol*, 150, 4900-4910 (1993) * ○
60. S. Fushida, T. Urano, H. Tsuruta, Y. Yonemura, I. Miyazaki, H. Shiku: Frequent p53 mutations on exons 5 and 8 in human primary gastric cancer, *Int J Oncol*, 2, 563-568 (1993) *
61. T. Urano, K. Furukawa, H. Shiku: Expression of nm23/NDP kinase proteins on the cell surface, *Oncogene*, 8, 1371-1376 (1993) * ○
62. S. Yamashiro, K. Takayama, H. Shiku, K. Furukawa: Up-regulation of small GTP-binding proteins smg p21A and ras p21S during TPA-induced differentiation of human leukemia cell lines, *Leukemia Res*, 17, 129-136 (1993) * ○
63. K. Furukawa, T. Akagi, Y. Nagata, K. Shimotohno, N.-K. V. Cheung, H. Shiku, K. Furukawa: GD2 ganglioside on HTLV-I infected T cells: Possible activation of β 1,4-N-acetylgalactosaminyltransferase gene by p40^{ax}, *Proc Natl Acad Sci USA*, 90, 1972-1976 (1993) * ○
64. K. Motojima, T. Tsunoda, T. Urano, Y. Nagata, H. Shiku: Detection of point mutations in the Kirsten-ras oncogene provides evidence for the multicentricity of pancreatic carcinoma, *Annal Surg*, 217, 138-143 (1993) *
65. Y. Tokunaga, T. Urano, K. Furukawa, H. Kondo, T. Kanematsu, H. Shiku: Reduced expression of nm23-H1,

- but not of nm23-H2, is concordant with the frequency of lymph-node metastasis of human breast cancer, *Int J Cancer*, 55, 66-71 (1993) *
66. Y. Yonemura, S. Fushida, K. Tsugawa, I. Ninomiya, L. Fonseca, A. Yamaguchi, I. Miyazaki, T. Urano, H. Shiku: Correlation of p53 expression and proliferative activity in gastric cancer, *Anal Cell Pathol*, 5, 277-288 (1993) *
 67. W. Luo, K. Matsuo, J. Nagayama, T. Urano, K. Furukawa, A. Takeshita, T. Nakayama, N. Yokoyama, S. Yamashita, M. Izumi, H. Shiku, S. Nagataki: Immunohistochemical analysis of expression of *nm23-H1/nucleoside diphosphate kinase* in human thyroid carcinomas: Lack of correlation between its expression and lymph node metastasis, *Thyroid* 3, 105-109 (1993)
 68. N. Konishi, S. Nakaoka, T. Tsuzuki, K. Matsumoto, Y. Kitahori, Y. Hiasa, T. Urano, H. Shiku: Expression of *nm23-H1* and *nm23-H2* proteins in prostate carcinoma, *Jpn J Cancer Res*, 84, 1050-1054 (1993) *
 69. A. Yamaguchi, T. Urano, S. Fushida, K. Furukawa, G. Nishimura, Y. Yonemura, I. Miyazaki, G. Nakagawara, H. Shiku: Inverse association of *nm23-H1* expression by colorectal cancer with liver metastasis, *Br J Cancer*, 68, 1020-1024 (1993) *
 70. S. Fushida, Y. Yonemura, T. Urano, A. Yamaguchi, I. Miyazaki, T. Nakamura, H. Shiku: Expression of hepatocyte growth factor (HGF) and c-met gene in human gastric cancer cell lines, *Int J Oncol*, 3, 1067-1070 (1993) *
 71. T. Ichihashi, H. Yamaguchi, K. Furukawa, H. Shiku, T. Naoe, R. Ohno: Variable region gene analyses of two human monoclonal antibodies to GD3, *Int J Oncol*, 2, 483-491 (1993) * ○
 72. T. Ichihara, J. Sakamoto, A. Nakao, K. Furukawa, T. Watanabe, N. Suzuki, M. Hirosawa, H. Nagura, K. O. Lloyd, H. Takagi: Expression of blood group-related antigens in normal and malignant pancreatic tissue correlated with genotype of the patient defined by saliva glycoprotein, *Cancer*, 71, 71-81 (1993) *
 73. S. Yamashiro, S. Ruan, K. Furukawa, T. Tai, K. O. Lloyd, H. Shiku, K. Furukawa: Genetic and enzymatic basis for the differential expression of GM2 and GD2 gangliosides in human cancer cell lines, *Cancer Res*, 53, 5395-5400 (1993) *
 74. O. Mori, H. Hachisuka, Y. Sasai, H. Shiku: Expression of smg p21A and ras p21 in epidermal neoplasms, *Arch Dermatol Res*, 285, 441-443 (1993) *
 75. Yukawa, K., Yasui, T., Yamamoto, A., Shiku, H., Kishimoto, T., and Kikutani, H. Epoc-1: a POU-domain gene expressed in murine epidermal basal cells and thymic stromal cells. *Gene* 133, 163-169 (1993) *

A - b

1. K. Furukawa, Y. Nagata, H. Shiku: Molecular biology of enzymes involved in ganglioside biosynthesis—Isolation and expression of the cDNAs of β 1, 4 N-acetylgalactosaminyltransferase that determines the expression of GM2/GD2 gangliosides—*Trends in Glycoscience and Glycotechnology*, 5, 171-179 (1993)

A - c

1. K. O. Lloyd, K. Furukawa: Fine specificity analysis of human monoclonal antibodies detecting gangliosides, In H. F. Oettgen, ed., *Gangliosides and Cancer*, Weinheim, VCH Verlagsgesellschaft, 177-183 (1989)
2. E. Nakayama, A. Uenaka: Identification, characterization and purification of a unique antigen in B6RV2 leukemia, In Y. Ikawa, A. Wada, eds., *Recent progress of life science technology in Japan*, Academic Press, 199-212 (1989)
3. K. Kurabayashi, T. Masuda, E. Nakayama, H. Shiku: Dominant idiotype in tumor-specific cytotoxic T-lymphocyte response. *Idiotype Networks in Biology and Medicine* eds A. D. M. E. Osterhans and F. G. C. M. Uytde Haag. Elsevier Science Publishers, 181-185 (1990)
4. K. Furukawa, H. Yamaguchi, D. S. Schrump, K. Yoshikawa, S. R. Fortunato, L. J. Old, K. O. Lloyd. Carbohydrate antigens on human cancer cells recognized by human monoclonal antibodies. In K. Kimura, K. Yamada, S. K. Carter, D. P. Griswold, Jr., eds., *Cancer chemotherapy. Challenges for the future*, vol. 5, Tokyo, Excerpta Medica, 131-139 (1990)
5. K. Furukawa, K. O. Lloyd: Gangliosides in melanomas. In S. Ferrone, ed., *Human melanoma. From basic research to clinical application*. Heidelberg, Springer Verlag, 15-30 (1990)

A-d

1. K. Hamatani, K. Yoshida, N. Nakamura, Y. Eto, H. Shiku, M. Akiyama: Expression of ras genes in human stomach and thyroid cancers; preparation of anti-ras p21 monoclonal antibodies and immunohistochemical analyses, Radiation Effects Research Foundation, Technical Report 15-88 (1989)
2. K. Hamatani, K. Yoshida, M. Abe, H. Kondo, K. Shimaoka, H. Shiku, M. Akiyama: Expression of proto-oncogenes in non-Hodgkin's lymphomas by in situ hybridization with biotinylated DNA probes, Radiation Effects Research Foundation, Technical Report Series, 6-89 (1989)

B 邦 文**B-b**

1. 珠玖洋：癌関連遺伝子の in situ hybridization 法による組織内検出、代謝、26、臨時増刊号「癌'89」(1989)
2. 浜谷清裕、珠玖 洋：In Situ Hybridization, BIOMedica, 4(7), 84-88 (1989)
3. 浜谷清裕、珠玖 洋：In Situ Hybridization (2), BIOMedica, 4(8), 83-86 (1989)
4. 珠玖洋：癌遺伝子と遺伝子産物の検出、医学のあゆみ、149(6), 466-469 (1989)
5. 珠玖洋：癌遺伝子産物に対する抗体検索、MEDICO, 20(1), 11-15 (1989)
6. 珠玖洋：癌免疫における抗イディオタイプ抗体、癌治療・今日と明日、11(2), 24-28 (1989)
7. 珠玖洋：癌遺伝子の検査法—特異抗体を用いる方法、臨床検査、増刊号・癌の臨床検査、33(11), 1298-1302(1989)
8. 古川鋼一、古川圭子：腫瘍抗原—とくにヒトメラノーマ抗原について—：Tumor antigen—with special emphasis on human melanoma—。臨床免疫（下巻）日本臨牀48、131-136 (1990)
9. 中山睿一：腫瘍の研究 特集「なぜ動物実験を行うか」、アニテックス、2、15-17 (1990)
10. 鶴殿平一郎、中山睿一：拒絶反応と T 細胞、日本臨床増刊号、48、28-33 (1990)
11. 中山睿一、栗林景容：腫瘍特異的キラー T 細胞における TCR イディオタイプの解析、細胞工学、9, 702-706(1990)
12. 上中明子、中山睿一：GVHD に関する T 細胞、Medical Immunology、20, 456-463 (1990)
13. 中山睿一：腫瘍免疫(B)抗腫瘍免疫、免疫・Immunology Frontier、1, 104-105 (1990)
14. 長田康彦、珠玖洋：合成オリゴヌクレオチドを用いる dot hybridization—c-ras 遺伝子における点突然変異の検索、日本臨牀 別冊48(8), 163-169 (1990)
15. 佐々木豊裕、中山睿一：リステリア感染症と宿主応答、Medical Immunology、21, 421-428 (1991)
16. 三重野政広、中山睿一：細胞障害性 CD4-CD8-TCR $\alpha\beta$ T 細胞、臨床免疫、24, 1440-1447 (1992)
17. 藤田雅俊、村田健、珠玖洋：癌抑制遺伝子を用いた遺伝子治療の可能性、Biomedical Perspectives, 2(2), 67-74(1993)
18. 太田信吉、珠玖洋：癌遺伝子産物の抗原提示、Medical Immunology、26(4), 335-342 (1993)
19. 伏田幸夫、浦野健、珠玖洋：胃癌における nm23 遺伝子の発現と転移、消化器癌、3(1), 37-41 (1993)
20. 珠玖 洋：ペプチドワクチンによる HTLV-I 感染細胞の除去、実験医学、11, 76-81 (1993)
21. 珠玖 洋：癌の遺伝子診断、最新医学、増刊号、267-280 (1993)
22. 太田信吉、珠玖洋：ヒト癌と細胞性免疫、図説臨床「癌」シリーズ、癌と免疫、12-17 (1993)
23. 古川鋼一：糖転移酵素—白血病と β 1, 4GalNAc 転移酵素、医学のあゆみ、166(2), 111-113 (1993)
24. 古川鋼一、長田康彦、山城修治、古川圭子、珠玖 洋：糖脂質を受容体とする糖転移酵素— β 1, 4N-アセチルガラクトサミン転移酵素遺伝子の単離と発現解析—、細胞工学、12(10), 712-718 (1993)
25. 古川鋼一： β 1, 4GalNAc 転移酵素遺伝子のクローニングとその糖鎖機能解析への応用、生化学、65(7), 566-569 (1993)

B-c

1. 浜谷清裕、珠玖洋：日本組織細胞化学会編、フォトビオチン化した DNA プローブによる In situ hybridization 法、組織細胞化学1990、東京、学際企画、135-145 (1990)
2. 珠玖洋：白血病細胞の表面マーカー、最新内科学体系19、白血病、東京、中山書店 (1992)

B-d

1. 珠玖洋：がん関連遺伝子および遺伝子産物の組織内検出とそのがん診断への応用、平成元年度文部省科学研究費補助金、「がん」特別研究、研究報告集録、355-359 (1990)
2. 中山睿一、古川鋼一：マウス白血病における固有抗原および拒絶抗原の解析、平成元年度文部省科学研究費補助金、「がん」特別研究、研究報告集録、752-754 (1990)
3. 珠玖洋、中山睿一、古川鋼一：がん関連遺伝子による癌診断、文部省科学研究費重点領域研究、バイオサイエンス

- の進展に基づくがんの重点研究、研究報告集、119-123 (1991)
4. 珠玖洋：がん関連遺伝子および遺伝子産物の組織内検出とそのがん診断への応用、平成2年度文部省科学研究費補助金、「がん」特別研究、研究報告集録、338-342 (1991)
 5. 珠玖洋：免疫関連正常細胞のクローニング・増殖技術の開発（その3）、昭和62～平成元年度科学技術振興調整費、免疫の応答機構解明のための基盤技術の開発に関する研究、成果報告書、199-205 (1991)
 6. 珠玖洋、中山睿一、古川鋼一：がん関連遺伝子による癌診断、文部省科学研究費重点領域研究、バイオサイエンスの進展に基づくがんの重点研究、研究報告集、126-129 (1992)
 7. 珠玖洋：免疫関連正常細胞のクローニング・増殖技術の開発（その3）、平成2～平成4年度科学技術振興調整費、免疫の応答機構解明のための基盤技術の開発に関する研究、成果報告書、155-169 (1993)
 8. 珠玖洋、古川鋼一：がん関連遺伝子による癌診断、文部省科学研究費重点領域研究、バイオサイエンスの進展に基づくがんの重点研究、研究報告集、105-108 (1993)
 9. 古川鋼一：糖転移酵素遺伝子の構造と発現—GM2/GD2合成酵素遺伝子の解析を中心に—文部省重点領域研究「糖鎖遺伝子とその生物機能」、GLYCO NEWS、1(2)、12-23 (1993)

原著論文数一覧

	A-a	A-b	A-c	A-d	合計	S C I	B-a	B-b	B-c	B-d	合計	総 計
1989	22	0	2	2	26	20	0	7	0	0	7	33
1990	15	0	3	0	18	15	0	7	1	2	10	28
1991	12	0	0	0	12	12	0	1	0	3	4	16
1992	6	0	0	0	6	6	0	1	1	1	3	9
1993	20	1	0	0	21	20	0	9	0	3	12	33
総 計	75	1	5	2	83	73	0	25	2	9	36	119

学会発表数一覧

	A-a	A-b		合 計	B-a	B-b		合 計	総 計
		シンポジウム	学会			シンポジウム	学会		
1989	3	3	5	11	1	1	23	25	36
1990	0	0	2	2	1	1	27	29	31
1991	0	0	2	2	3	2	27	32	34
1992	1	2	6	9	2	1	27	30	39
1993	1	0	0	1	4	2	40	46	47
総 計	5	5	15	25	11	7	144	162	187

原著論文総数に係る教官生産係数一覧

	欧文論文総数 論文総数	教官生産係数 (欧文論文)	S C I掲載論文 欧文論文総数	教官生産係数 (S C I掲載論文)
1989	0.76	7.3	0.91	6.7
1990	0.64	6.4	0.83	5.0
1991	0.75	4.0	1.0	4.0
1992	0.67	2.0	1.0	4.0
1993	0.64	7.0	0.95	6.7
平均	0.697	5.5	0.880	4.87

Impact factor 一覧

	Impact factor	1教官当たり Impact factor	論文当たり Impact factor
1989	78.746	26.249	3.579
1990	57.464	19.155	3.831
1991	63.710	21.237	5.309
1992	12.797	4.326	2.163
1993	59.502	19.834	2.975
平均	54.444	18.148	3.729